

Declaration of Performance



**Creamside Homes LTD Ltd.
Unit 4 West Estate Business Park
Withybush Road
Haverfordwest
Pembrokeshire
SA62 4BR**

DoP No: 1- 28/01/18

**VEKA Matrix FS Internally Glazed Casement Window,
Intended for use in domestic or commercial refurbishment or new building applications.**

Annex ZA.1 of BS EN 14351-1:2006+A1:2010

Watertightness: NPD

Dangerous substances: None released under normal indoor use.

Resistance to wind load: NPD

Load-bearing capacity of safety devices: Pass, 350N when fitted (1)

Acoustic performance: NPD

Thermal transmittance: $\leq 1.6 \text{ W/m}^2\text{k}$ (2)

Radiation Properties: NPD

Air permeability: NPD

A Factory Production Control (FPC) system is established, documented and maintained in accordance with AVCP System 3 as per Annex ZA.2 of BS EN 14351-1:2006+A1:2010.

(1) Report No. 123/4567890/1 of 2 Issue 1 and 321/0987654/2 of 2 Issue 1, both dated 25.12.2012 for Safety & Security friction hinges with built in restrictor - BSI, Notified Test Body No. 0086

(2) Thermal Transmittance calculation approved by **Ventana Testing Services, Notified Test Body No. 1968, Ref Report No. 54321.12 dated 01.04.2012.**

Name (Print)

Signed

Declaration of Performance



VTS 1968

Creamside Homes LTD Ltd.
Unit 4 West Estate Business Park
Withybush Road
Haverfordwest
Pembrokeshire
SA62 4BR

DoP No: 1- 28/01/18

Veka MATRIX FS Internally Glazed Door,,: Glazed with Soft Coat, Warm edge spacer bar, Argon filled unit.
Intended for use in domestic or commercial refurbishment or new build application

Annex ZA.1 of BS EN 14351-1:2006+A1:2010

Watertightness: NPD

Dangerous substances: None released under normal indoor use.

Resistance to wind load: NPD

Impact resistance (glazed doors with injury risk only): NPD

Load-bearing capacity of safety devices: Not fitted

Height & width (clear opening): NPD

Ability to release (locked doors on escape routes only): Emergency exit panic hardware complies with (EN 179, EN 115, prEN 13633 and prEN 13637* delete as appropriate) when fitted (1)

Acoustic performance: NPD

Thermal transmittance: $\leq 1.6 \text{ W/m}^2\text{k}$ (2)

Radiation Properties: NPD

Air permeability: NPD

(1): Continuous surveillance of Factory Production Control (FPC) in compliance with AVCP System 1 as per Annex ZA.2 of BS EN 14351-1:2006+A1:2010 by **Ventana Testing Services, Notified Test Body No. 1968,**

For all other essential characteristics, Factory Production Control (FPC) system is established, documented and maintained in accordance with AVCP System 3 as per Annex ZA.2 of BS EN 14351-1:2006+A1:2010.

(2) Thermal Transmittance calculation approved by **Ventana Testing Services, Notified Test Body No. 1968, Ref Report No. 54321.12 dated 01.04.2012.**

Name (Print)

Signed

Position

Date and Place of Issue